Secrtt. II-27—39,064—24-10-44.

Ecfh (1945) Department.

Ne SERIES.

G.O. No. 3087/FH 29

Dated 29.01.1945

[Despatch Abstract.]

Licence - Mangalore Municipality - Installation of a 14½ H.P. Steam engine in T.S.No.113-1 and 2 - Permission - Directions issued under section 250 of the Madras District Municipalities Act.

TELEGRAPHIC ADDRESS PEIRCE. AC/PKI.

PEIRCE, LESLIE & CO., LTD.
INCORPORATED IN ENGLAND.

36350







MANGALORE, 9th AUGUST, 1945.

ion & Public Health,
MADRAS.



L LICENCE FOR INSTALLATION OF A
ENGINE IN WARD 21- T.S.113- 1 & 2
NGALORE MUNICIPALITY.

ir to address you in this matter and to
mber accommodates our Maidan Coffee Curing
Works.

We applied to the Municipal Commissioner for permission to instal a small steam engine so as to effect economies in labour and fuel.

The Commissioner replied as follows:

"Permission for the installation of a steam engine of 10 h.p. in T.S.No.113-1 and 2 of 21st ward is refused as the installation of the machinery of the type cannot be permitted outside the industrial area as per instructions in para 1(1) of appendix to G.O.No.4054 P.H.dated the 3rd Septr.1940. C.R.No.21 dated the 26th March 45".

We therefore place the detail before you for your kind consideration.

We cannot instal an electric motor as the local Power Suppl Co.are not allowed by Government to fit up new connections.Actua we cannot consider using electric power as this would lead to additional recurring expenditure defeating our object.

By installing a 10 H.P. steam engine we would be in a position to shut down the larger steam engine of 14½ H.P. for approximately half the working period.

The motive power is required to drive coffee curing machi Curing is seasonal and normally starts in December and ends in At present the existing engine runs throughout the season but installation of a smaller engine would enable us to shut down t big one in March and then run the smaller one till the end of t season.

There is no question of increased nuisance as the existing boiler and furnace would not be altered in any way- in fact there would be less firing required and therefore less smoke with the smaller engine working. Any engine exhaust noise would also be less with the smaller engine running. We therefore appeal to you to kindly have a special order issued by Government to the Mangalore Municipality permitting us to instal and run a smaller engine.

During a recent visit to Mangalore Rao Saheb Dr.W.V.Perumal, L.U.S., B.Sc., Assistant Director of Public Health visited our Works and we took the opportunity to acquaint him of the circumstances and to show him the plant and engines involved.

We have the honour to be,
Sir,
Your most obedient serv[illegible]
for Messrs. PEIRCE, LESLIE & CO.[illegible]

14/8

Education & Public Health Deptt.

H.

Endorsement No. 36380 H/45-1 P.4 of 14-8-45.

Returned for resubmission with court-fee stamps of the value of Rs 1-8-0 affixed.

General Branch
14/8/45

Deputy Secretary to Govt.

[redacted] Tree, Leslie & Co. Ltd.,
Bangalore,
South Kanara Dt.

MS/MS 14.8.45

PEIRCE, LESLIE & CO., LTD.

Mangalore, 18th August 1945.

The Deputy Secretary to Government,
Education & Public Health Secretariat,
M A D R A S.

Sir,

With reference to your endorsement No.36380H/45-P.H. dated 14-8-45 on the enclosed petition we have the honour to return it with court fee stamps of Rs.1-8-0 affixed.

We have the honour to be,
Sir,
Your most obedient servants,

Encl:- our letter of 6th Aug
KSA.



37203

Education & P. H. Dept (H)

W[illegible]

P[illegible] 25/8/45

H.Endt. NO. 37203 H/45-1 P.H Dated 22-8-45.

Referred to the Commissioner, Mangalore Municipality for early remarks which should be submitted through ~~the Director of Town Planning~~ the Director of public Health. It should be stated whether the ~~Basaw~~ site is in an area notified or proposed to be notified as residential area.

[illegible]
Deputy Secretary to Govt.
22/8/45

Commissioner,
Mangalore Municipality
through the D.

[illegible]
21/8
22.8.45.

F.Dis.No.9197/45. 44490 Municipal Office, Mangalore,
Dated the 30th August 1945.

From

Sri B.Suryanarayana Rao, M.A.,
Commissioner, Mangalore Municipality,
Mangalore.

To

The Secretary to the Government of Madras,
Education and Public Health Department, M a d r a s.

Through

The Chairman, Municipal Council, Mangalore, and
The Director of Public Health, Egmore, M a d r a s.

Sir,

Subject:- Licences - Installation of 10 H.P. Steam engine - T.S.No. 113-1 and 2 of 21st ward - Messrs Peirce Leslie & Co. Ltd., Remarks - submitted.

Reference:-Your Endorsement No. 37203-H/45-P.H., dated 22nd August 1945.

The Manager, Messrs Peirce Leslie & Co.Ltd, Mangalore, applied on 15th January 1945 for permission for fresh installation a steam engine of 10 H.P. in T.S.No. 113-1 and 2 of 21st ward of Mangalore town. As no new factory and no fresh installation of kind of machinery(other than electric machinery not exceeding 20 could be

could be permitted outside the industrial area, as per instructions in paragraph 1 (1) of Appendix to G.O.No. 4054 P.H., dated the 3rd September 1940, the Municipal council, refused to grant permission for the installation in its resolution No.21, dated the 26th March 1945. A copy of the council's resolution is enclosed. The factory is neither in-side the industrial area nor in any residential area.There is also no proposal on hand to notify this area as a residential or industrial area at present.The petition dated the 9th August 1945 addressed to Government is resubmitted.

Commissioner. 30/8/45

Forwarded:

Chairman,M.C. 30.8.45.

H/30.8.45. compd:- 30.8.45

C4/695/45.

Commissioner's note, for the council.

On 15th January 1945 the Manager, Messrs: Peirce Leslie & Co. Ltd. Mangalore, applied for permission for the installation of a steam engine of 10 h.p. in T.S.No. 113-1 and 2 of 21st ward and the permission has been recommended both by the Municipal Health Officer and Town Planning Officer. The site is outside the Industrial area. No new factory and no fresh installation of any kind of machinery (other than electric machinery not exceeding 20 H.P.) can be permitted outside the industrial areas as per para 1(1) of Appendix to G.O. No.4054 P.H., dated the 3rd September 1940. In view of the instructions in the above G.O. permission for the new installation of 10 h.p. steam engine cannot be permitted in the above factory though it is an existing one. Hence permission applied for may be refused.

Municipal Office, Mangalore,)
Dated the 27th February 1945.)

sd/B.Suryanarayana Rao
Commissioner.

(True copy)

30th Aug. 1945.

Commissioner.

P.T.O.

Extract from the proceedings of the Mangalore Municipal Council, dated the 26th March 1945.

Resolution No. 21

Read petition dated the 15th January 1945 from the manager, Messrs Peirce Leslie & Co.Ltd.Mangalore, for permission for the installation of 10 H.P. Steam engine in T.S.No. 113-1 and 2 of 21st ward and the Commissioner's note recommending to refuse permission for the reasons stated therein.

Permission refused.

sd/H.Hoosien Saheb
Chairman, M.C.

/ T r u e e x t r a c t /

Municipal Office, Mangalore,
Dated the 30th August 1945.

30/8
COMMISSIONER.

h/30.8.45. compd:-

I Dis.9865/45. Municipal Office, Mangalore,
Dated the 14th September 1945.

From

Sri B.Suryanarayana Rao, M.A.,
Commissioner, Mangalore Municipality, Mangalore.

To

The Secretary to the Government of Madras,
Education and Public Health Department, Madras,

Through

The Chairman, Municipal Council, Mangalore.

Sir,

Subject: Licences -- Installation of 10 H.P. Steam Engine -- T.S.No. 113-1 and 2 of 21st ward -- Messrs Peirce Leslie & Co.Ltd., Remarks - already submitted.

Reference: Government Endorsement ~~Endorsement~~ No.37203 sent in original -H/45-P.H.dated the 22nd August 1945 and the reminder dated the 11th September 1945.

4244S I submitted my remarks in the matter to the Government through

not yet received.

through the Director of Public Health, Madras, in this office F.Dis. 9197/45 dated the 30th August 1945 as per instructions of the Government in their Endorsement cited above.

14/9

Commissioner.

Forwarded:

15.9.45

Chairman, M.C.

Copy to the Director of Public Health, Madras.

H/14.9.45. compd:-

14/9/45

S.P.H (H)

Memo. No. 37203 H/45-2 P.H. dated 28-9-45

Sub:- Licence - Mangalore Municipality - installation of a steam engine outside the industrial area by Messrs Pierce Leslie & Co. - Appeal petition

-x-

Ref:- Letter from the commr., Mangalore Mlty., F. Dis. 9197/45 dated 30.8.45.

-x-

The D.P.H. is requested to state when letter No. F Dis. 9197/45 dated 30.8.45 of the Md. commr., Mangalore on the above subject may be sent to Govt. with his remarks.

To
The DPH.

(Sent to Govt. through DPH)

From.
Major.J.H.Gorman.I.M.S.
Director of Public Health,
Madras.

TO 37203 H&S
The Secretary to Government,
Education & Public Health Deptt.
Madras.

R.No.44490-Hyg-45-1 dated 4th October 1945.

Sir,

Sub:-Licence--Mangalore municipality--Installation of a steam engine outside industrial area by Messrs.Pierce Leslie & Co., Appeal petition.

Ref:-Government memo.No.37203-H-45-2,P.H., dated 25-9-45.

The letter No.F.Dis.9197-45,dated 30-8-45 of the Municipal Commissioner,Mangalore referred to in the Government Memo will be forwarded to Government shortly with my remarks

E.P.H.(H)
D.P.H. may be reminded on 21.10.45, if necessary.

4-10-45.

for DIRECTOR OF PUBLIC HEALTH,Madras.



PUBLIC HEALTH DEPARTMENT.

H 17

L.Dis.No.40490-Hyg.45-2-, dated 8th. October 1945.

vide A atP-2/(W)

Forwarded.

The resolution of the Municipal Council is in order, as no new installation of machinery other than electric motors under 20 Horse Power is allowable outside the industrial area as per G.O.No.4054 P.H., dated 3rd.September 1940.

9-10-45.

45156.

For Director of Public Health,
Madras.

To The Secretary to the Government of Madras,
Education and Public Health Department, Madras.
T.M.P.9

Ra/p

41/19/9

Letter No. 37203-H/45-3P. Hqrs. 19-X-46

Ref

Dept. of Supply & Transport

To. M/s Pierce, Leslie & Co.
Mangalore

Sirs,

Licence - Bangalore
Entry - Installation-spares
Rs. Indent dated 21-7-46 Rs. 113-1-2

With reference to your letter dt. 29 Aug 46 quoting the above subject I am directed to ask

Whether

2

Whether the proposed ~~installation of this~~ ten h.p steam engine, ~~for this installation~~, will be used as a replacement of another existing 14½ h.p installation during a particular year; you will ~~kindly be invited to state~~ ~~replacement~~. You should also be stated exactly during which periods of the year the new ten h.p engine will work, and during which periods the existing 14½ h.p engine will work.

I am also to ask whether the Company will give an undertaking to the effect that during no period will both the units work.

Y.O.S.

Yatooer

H TELEGRAPHIC ADDRESS: PEIRCE. 21

AC/KVS.

PEIRCE, LESLIE & CO., LTD.
INCORPORATED IN ENGLAND.

5 LLOYDS AVENUE LONDON E.C.3.

CALICUT. COCHIN. TELLICHERRY.
MANGALORE. COIMBATORE. ALLEPPEY.
SOUTHERN INDIA.

2 - NOV 1945
GENERAL PUBLIC HEALTH

Post Box No.9

MANGALORE, 30th OCTOBER 1945.

4994/

The Deputy Secretary
to Government of Madras,
Education & Public Health Department,
Fort St. George, M A D R A S.

Dear Sir,

Licence - Mangalore Municipality - Installation of a 10 H.P. Engine in Ward 21 - T.S.113 - 1 & 2.
Your Ref: No.37203.H/45-3.Public Health.

We thank you for your letter of 19th instant.

Our object in installing the 10 H.P. engine is that it can be used during part of the year instead of the larger 14½ H.P. engine now used throughout the year.

Coffee curing is seasonal and the machinery is run from December to June only.

We shall run the 14½ H.P. engine from December to end of March and the 10 H.P. engine from April until end of June when the season ends.

Yours faithfully,

Per Pro. PEIRCE, LESLIE & CO., LTD.

Education & Public Health Department.
(H)

LICENCE -- Mangalore Municipality -- Installation of a 14½ H.P. Steam engine in T.S.No.113-1 & 2 -- Permission -- Directions issued under Sec. 250 of the M.D.M.Act.

From Messrs. Pierce Leslie & Co., Ltd., Mangalore, letters dated 9--8--1945 and 30·10·1945
From the Commissioner, Mangalore Municipality No. F.Dis.9197-45, dated 30--8--1945;
From the Director of Public Health No.47490-Hyg.45-2 dated 8--10--1945.

ORDER/MS. 3087 P.H. dated 29·11·45

In its Resolution No.21 dated the 26th March 1945, the Mangalore Municipal Council has refused permission to Messrs. Pierce Leslie,& Co.,Ltd., under Section 250 of the Madras District Municipalities Act for the installation of a steam engine of 10 H.P. in T.S.No.113-1 and 2 of 21st ward as such an installation is not permissible under paragraph 1 (i) of the Instructions contained in the appendix to G.O.No.4054 dated the 3rd September 1940. These instructions are no doubt applicable to a fresh installation in a site outside the industrial area, but Messrs. Pierce, Leslie & Co. Ltd., have made it clear in their letters to Government that their object in installing the 10 H.P. steam engine is to use this engine during a part of the year instead of the 14½ H.P. engine, which is at present used throughout the year, and that they would work the 14½ H.P. engine from December to the end of March and the 10 H.P. engine from April until the end of June. Such an arrangement will ensure that there is less nuisance from the factory, after the new installation. In the circumstances, the Government consider that the application of the Company should be deemed to be one for replacement and should be dealt with in accordance with the instructions in paragraph 2 of the appendix to G.O. No. 4054 P.H., dated the 3rd September 1940.

Under Section 252 of the Madras District Municipalities Act, 1925, the Government, hereby, direct that

direct that the Mangalore Municipal Council shall grant permission to Messrs. Pierce, Leslie & Co., Ltd., Mangalore for the installation of a 10 H.P. Steam Engine in their premises in T.S.No.113-1 and 2 in Ward 21 of Mangalore Municipality, subject to the condition that both the engines are not worked at the same time during any period of the year.

The Municipal Commr. is requested to submit to Govt. a report, in due course, on the action taken by the Council on this order.

~~3 As regards the fee for the licence under Sec 24 (g) of the Act for the premises in which the machines are installed, the Commr. is informed that if these premises are licensed with reference to Item (1) of Schedule A of the Act, the fee for the licence should be based upon the horsepower and not on the combined H.P. of the machines.~~

To

The Municipal Commr.,
Mangalore Municipaltity
through the Chairman;

Director of Public Health

Messrs. Pierce Leslie & Co. Ltd., Mangalore.

E & P. H (H)

1

P.17 cy

dates 9.8.45

dates 8.8.45.

The Government regret that

To

Pierce Leslie & Co.

This repeal is based really on the question of insurance -
[illegible] so if the Ch says at 'X' on 2/3 of
[illegible] unto him to have more than before
[illegible] illogical [illegible]. This also to be
[illegible] 10 H.P. will refund to 5 H.P. at certain
periods of the year but still [illegible] same at the same
time [illegible] replacement

X

As regards [illegible] plaques
See para 2 of the letter dated [illegible] appended
to G.O.M.S. 4054 P. W. dt. [illegible]

2. The Comm.r's letter refers [illegible]
[illegible] actually a [illegible]

and whether there will not be a
nuisance after the new engines
installed -

and also the draft letter to be sent for
approval -

This is certainly a fresh installation -
13/10.45 place another existing installation during
the period of the year when the installations may be legally
used, and refer for permission to the Council (and the Civic
Authorities) to confirm this to their
which period of the year the
engines will only be used during which period the
engines may be used (subject to giving notice
to the Council no proceedings will be taken by the Council).
[Note as regards hours, same also to be used].

A draft letter is sent 16/10/45
13/10.45 19/10/45

Letter No. 37203-H&45-3 P.W.D. 30102/5 P
from Pierce Leslie & Co. Ltd. Letter dt. 30.10.45

Permission for the additional installation in this case has been refused by the Municipal Council as the installation is considered to be undesirable in the residential area and will be objectionable under the bye-laws (V) No 90 at (V) 1/2
The Company's letter (1 page) of which is an elucidation of the points in Mr. D's note on the previous page shows that the 10 h.p. engine which is now proposed to be installed will be worked in the place of the existing 14½ h.p engine during p 21 of the portion of the year, and consequently there will be less nuisance to the

5/

A draft order is submitted for approval

2. As regards the fee, it may

Stated that this case cannot be treated as one of replacement for the purpose of fee in view of the fact that the installation cannot be regarded as one of substitution of another instalation. It will actually be in the premises but one only will work at a time. Hence it does not appear that the Concessional Rate of fee for replacements provided in the Note appended to G.O. No. 5411 P. dt. 27 the 18th Nov. 40 will apply here. The maximum permission fee for this installation (as if it were a fresh one) will be Rs. 22-8-0

Legal may see before circ

Vide ... in ...

Authority Memo. orders were issued on the case of a similar kind in Dharwar, Hubli, Gadag, Belgaum, Bijapur, Karwar, Gokak, Ankola, Kumta, Honavar, Sirsi, Yellapur, Haliyal, Supa, Mundgod, Ramdurg, Khanapur, Nargund, Navalgund, Kundgol, Shiggaon, Hangal, Byadgi, Hirekerur, Ranebennur, Havery, Savanur, Shirahatti, Gadag, Mundargi, Laxmeshwar, Shirhatti, Gadag, Mundargi, Laxmeshwar, Shirhatti, Gadag, Mundargi, Laxmeshwar, Shirh

DS's note on the previous page
(a) D.S. has apparently in hand file No. 599
(W.D.) 4.3.44. The point about a
fee for permission was not consi-
dered in that file. As regards the
only trade licence fee, it may be levied on
both the machine & the hand knitter basis
& the principle according with the deci-
sion contained in that file.

I do not think we need raise
any point yet about the fee for licence
under £2 nor permit under £20. Tell
Letterkenny Co. of this & thanks for it.

Legal may see draft circ

E+P H B.
H.O. No 37203-14/45-41
23-11-45

23/11/45 Legal.

ASSISTANT SECRETARY I
23 NOV 1945
LEGAL DEPARTMENT.

15-11-45.

7206

Legal-Department.

Seen in Legal.

Legatu-07206-1

24-11-45

28 NOV 1945

28 NOV 1945

28 NOV 1945

22/11/45

approved

A2

24/11/45

.F. 32 (a).

Municipal Department.

From (Name) Sri B.Suryanarayana Rao, M.A.,
Designation Commissioner,
Station Mangalore Municipality.

Received ..... Registered .....

To The Secretary to the Government of Madras, Education and Public Health Department, Fort St. George, Madras.
Through - The Chairman, Municipal Council, Mangalore.

8 FEB 1946

Enclosures: One

Ref:C. No. C2/12960/45 dated 1st February 1946.

Sir,

Licence - Mangalore Municipality - Installation 14 H.P. Steam Engine in T.S.No. 113-1 and 2 - Permission - Directions issued under Section 250 of the Madras District Municipalities Act,

Ref: G.O.No. Ms 3087 P.H., dated the 29th Novr. 45.

With reference to last para of the G.O. quoted above I submit that the council has resolved in its resolution No.20, dated the 28th January 1946, to grant licence to Messrs Peirce Leslie & Co. Ltd. Mangalore, as directed by Government. A copy of this resolution is enclosed. Licence is being issued to the party.

Commissioner 11/2

Forwarded.

Chairman M.C. P.T.O.

Submitted, direct to save delay, the Chairman being out of Station.

11/2

Extract from the proceedings of the Mangalore Municipality/Council dated the 28th January 1946.

x x x

Resolution No.20.

Council resolution No.21, dated the 26th March 1945 requesting permission to Messrs Peirce Leslie & Co. Ltd.Mangalore to instal a steam engine of 10 H.P. in T.S.No. 113-1&2 of 21st ward and G.O.No. Ms 3087 P.H., dated the 29th November 1945 directing the municipal council under section 252 of the Madras District Municipalities Act to grant the required permission conditionally.

Licence be granted.

sd/H.Hoosien Saheb
Chairman,M.C.

/ True Extract/

Municipal Office, Mangalore, (
dated the 1st February 1946.)

Commissioner

compd:

h/

9967
E + p. H. (H)

This may be filed with Go. No 3087. p.H dated 29-11-45.

19.2.46

19.2.46

(Finance)

It does not appear that the P.H. Sub-Committee has recommended the adoption of any type design for the construction of quarters for topis. The draft may be accepted and the file passed on to Fin.

Sd/- 4/11/46. Sd/- 6/11/46 Sd/- (PWD) 6.11.46

P.H.Genl. 65860 Dis/46-1

7-11-46.

SECRETARY TO GOVT. 7 - NOV 19[illegible]

Fin (Exp.C)

The reason adduced for the provision of new quarters for the thottis at Gudalur is that the thottis find it very difficult to get quarters 'anywhere near the hospital'. Submitted that this does not seem to be an adequate reason for undertaking the construction of two quarters at the present time when the cost of materials and labour are very high. (The cost of a hut for a thotti is estimated at Rs. 2,200/-). Finance may advise that the proposal may be postponed for the present.

60545 Exp.C. plct

Sd/- 9-11-46

Sd/- 9.11.46

Sd/- 11.11.46

PW

PWD Fin.No.60545 Exp.C/46-1

The file may be sent to EP-H dpty (administrative dpty) for necessary action

ASST. SECRETARY TO GOVERNMENT 13 NOV 1946 6774

PRM 14/11/46

Sd/- 14/11/46 EPH

Sd/- 14/11/46

Edn.A(D)

This dept. may agree with Fin. PWD No.63536/46-2 15-11-46.

The draft below is for approval.

Sd/- 19/11/46

Sd/- 19/11/46

Sd/- 19/11/46

SECRETARY, FIN. AND P.H. DEPT. GOVERNMENT OF MADRAS

ASST. SECRETARY TO GOVERNMENT 70255 18 NOV 1946 EDUCATION AND PUBLIC HEALTH DEPT.

R.L 30-12-46

CSD 18/11/46

Sectt. II-27—20,000—24-10-44.

Education and Public Health (1945) Department.

Mis. SERIES.

G.O. No. 3234 Public Health.

Dated 14th December, 1945.

[Despatch Abstract.]

Auqaf - Accounts of religious institutions - Annual audit - Fasli 1354 - South Kanara District - Auditors in places of those appointed already - Appointed.

Office of the Board of Commissioners
for Hindu Religious Endowments,
Cathedral Post, Madras.

56374

Letter No.59165/45-T-HDT dated 10.12.1945.

11 DEC 1945

From

Rao Bahadur Sri T.M. Chinnaiya Pillai, M.A., B.L.
President, Hindu Religious Endowments Board, Madras.

To

The Secretary to the Government of Madras,
Education and Public Health Department, Fort St. George, Madras.

Sir,

Sub: Accounts of Religious institutions - annual audit - fasli 1354 - South Kanara District - appointment of auditors.
Ref: G.O.Mis.No.2235 P.W. dated 7.9.1945.

I have the honour to state that the Government in their order read above appointed Messrs Karikar and Suri to audit the accounts of religious institutions for fasli 1354 for South Kanara District 'A' unit comprising of the talukas of Coondapur, Karkal, Mangalore, Kasaragode and Puthur and Sri P. Shanthamama Rao for South Kanara District 'B' unit i.e., Udipi taluk alone.

Of the above 2 auditors, Messrs Karikar and Suri; now state that they are unable to take up the audit for want of necessary staff.

It is proposed that the present 'A' unit may be divided into two zone as South Kanara 'B' comprising of Karkal, Mangalore and Puthur taluks and South Kanara 'C' consisting of Coondapur and Kasaragode taluks so that the said units may be entrusted to two auditors who with a smaller number of institutions will be in a position to keep pace with the other auditors

appointed already. Sri B. Shantharama Rao, the present auditor in charge of South Kanara 'B' Unit assures the Board that he can allot 2 seniors and 4 juniors if any additional work is entrusted to him.

I therefore request that the Government may be pleased to cancel the appointment of Messrs Karikar and Sriri and to appoint the auditors mentioned in Column 2 of the appendix. With a view to expedite the audit, I am requesting the auditors herein proposed to take up the audit in anticipation of the orders of Government.

I have the honour to be,
Sir,
Your most obedient servant,

PRESIDENT.

VG.10.12.1945.

APPENDIX

1. Name of the new audit Zone.	2. Name of the auditor recommended.
SOUTH KANARA DISTRICT. South Kanara 'A' (1) Karkal taluk. (2) Mangalore taluk. (3) Puttur taluk.	Sri A. Umantha Rao, Jail Road, Mangalore.
SOUTH KANARA DISTRICT. South Kanara 'C' (1) Coondapur taluk. (2) Kasargode taluk.	Sri B. Shantharama Rao, Mangalore.

46 14/12 Qld 14/12

For precedent please see
p 3 of G.O. 3024 P.H 23-11-45 (B)

p 9 (Y)
p 1 c f

Audit - Accounts of religious institutions - Annual audit - Fasli 1354 - South Kanara Dt. - Auditors in places of those appointed already - Appointed.

Read again :- G.O. 2235 P.H. dt 7-9-45.
" also :- From the P.R. H.R.E. Bd No. S 9165/45-7 dt 10-12-45.

Order 3234 P.H dt 14.12.45
Min

p 9 (Y)

p 1 c f.

p-2 Patwardhan's Book

As Messrs Kaintan and Sons, the auditors appointed in G.O. No. 2235 P.H. dt 7-9-45 for the audit unit of South Kanara Dt. 'A', have expressed their inability to take up the audit entrusted to them, the orders in G.O. read above, in so far as they relate to the appointment of these auditors are hereby Cancelled.

2. Under Sub-section (2) of Section 45 of the Madras H.R.E. Act (Madras Act of 1927) H.E. the Governor of,

Madras hereby appoints the auditors named in the appendix to this order to do the annual audit of the accounts of the religious institutions for fasli 1354 in the audit districts noted against their name.

p 2 · 1.

PGII 12/12/45.

12/12/45

To the P & H.R.E Bd
.. .. Exr & A.F Bch.
2 S/c for the S/F.

12/12

Appendix

[Here enter 'A' on p 2 c.f.]

PGII. 12/12/45

Note. May be circulated to A.I.

12/12/45

SH 12/12/45.

12/12/45

SECRETARY, EL. & RD. P. H. DEPT. 13 DEC 1945 GOVERNMENT OF MADRAS

EDUCATIONAL ... 13 DEC 1945

12/12/45

A 2

Government of Madras.

Abstract.

Audit - Accounts of religious institutions - Annual audit - Fasli 1354 - South Kanara District - Auditors in places of those appointed already - appointed.

Education and Public Health Department.

G.O.Mis.No. 3234 Public Health. Dated the 14th December, 1945.

Read the following: -

G.O. 2235 P.H., dated the 7th September, 1945.

From the President, Hindu Religious Endowments Board, No. 58165/45-7, dated the 10th December, 1945.

Order:-

As Messrs Kerikar and Suri, the auditors appointed in G.O. No. 2235 P.H., dated the 7th September, 1945 for the audit unit of South Kanara District 'A' have expressed their inability to take up the audit entrusted to them the orders in G.O. read above, in so far as they relate to the appointment of these auditors are hereby cancelled.

2. Under sub-section (2) of section 45 of the Madras Hindu Religious Endowments Act (Madras Act of 1927), His Excellency the Governor of Madras hereby appoints the auditors named in the appendix to this order to do the annual audit of the accounts of the religious institutions for fasli 1354 in the audit districts noted against their name.

(By order of His Excellency the Governor)

C.C. Cooray,
Deputy Secretary to Government.

To the President, Hindu Religious Endowments Board.
To the Examiner of Local Fund Accounts.

True copy/Forwarded/By order.

Superintendent.
p.t.o.

APPENDIX.

Name of the new audit zone.	Name of the auditor recommended.
1.	2.
South Kanara District. South Kanara 'A' (1) Karkal taluk. (2) Mangalore taluk. (3) Puthur taluk.	Sri A. Umantha Rao, Jail Road, Mangalore.
South Kanara District. South Kanara 'C' (1) Coondapur taluk. (2) Kasargode taluk	Sri B. Shantharama Rao, Mangalore.

True copy/

Superintendent.

ORP. 2.